

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188,) Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE 2/1/00-9/30/00	3. REPORT TYPE AND DATES COVERED Final report, : 31 Mar 99-30 Sep 00
----------------------------------	----------------------------------	---

4. TITLE AND SUBTITLE Instrumentation to Support the Mission of the National Center for Explosion Resistant Design	5. FUNDING NUMBERS DAAD19-99-1-0112
6. AUTHOR(S) Professor S. Kiger	

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Missouri, Columbia, NCERD, Columbia, Missouri, 65211-2200	8. PERFORMING ORGANIZATION REPORT NUMBER DAAD19-99-1-0112
---	--

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211	10. SPONSORING / MONITORING AGENCY REPORT NUMBER 39358-RIP e1
--	--

11. SUPPLEMENTARY NOTES
The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.

12 a. DISTRIBUTION / AVAILABILITY STATEMENT X Approved for public release; distribution unlimited.	12 b. DISTRIBUTION CODE
---	-------------------------

13. ABSTRACT (Maximum 200 words)

High speed photography equipment and specialized accelromters was purchased to obtain measurments related to blast mitigation and damage evolution in concrete systems and large scale buildings.

20010607 075

14. SUBJECT TERMS Blast Mitigation, concrete buidings		15. NUMBER OF PAGES 7	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL

MASTER COPY: PLEASE KEEP THIS "MEMORANDUM OF TRANSMITTAL" BLANK FOR REPRODUCTION PURPOSES. WHEN REPORTS ARE GENERATED UNDER THE ARO SPONSORSHIP, FORWARD A COMPLETED COPY OF THIS FORM WITH EACH REPORT SHIPMENT TO THE ARO. THIS WILL ASSURE PROPER IDENTIFICATION. NOT TO BE USED FOR INTERIM PROGRESS REPORTS; SEE PAGE 2 FOR INTERIM PROGRESS REPORT INSTRUCTIONS.

MEMORANDUM OF TRANSMITTAL

U.S. Army Research Office
ATTN: AMSRL-RO-BI (TR)
P.O. Box 12211
Research Triangle Park, NC 27709-2211

☐ Reprint (Orig + 2 copies)

☐ Manuscript (1 copy)

☐ Technical Report (Orig + 2 copies)

☒ Final Progress Report (Orig + 2 copies)

☐ Related Materials, Abstracts, Theses (1 copy)

CONTRACT/GRANT NUMBER:

REPORT TITLE:

is forwarded for your information.

SUBMITTED FOR PUBLICATION TO (applicable only if report is manuscript):

Sincerely,



Office of Research
University of Missouri-Columbia

Sponsored Program Administration

310 Jesse Hall
Columbia, MO 65211-1230

PHONE (573) 882-7560
FAX (573) 884-4078
E-MAIL grantsdc@missouri.edu

TRANSMITTAL DATA

Date: February 23, 2001

To: Office of Naval Research
Resident Representative
536 S. Clark Street
Chicago, IL 60605-1588
Deborah Caselman
From: Deborah Caselman, Assoc. Director
Office of Sponsored Program Administration

Grant or Contract: DAAD19-99-1-0112 C-5-34297

For the period: February 1, 2000 to September 30, 2000

Enclosures: Request for Advance or Reimbursement
Financial Status Report
Federal Cash Transactions Report
Final Report from Principal Investigator
Report of Inventions and Subcontracts
Property Report

mj

cc: Sam Kiger
Barb Breen



National Center for Explosion Resistant Design University of Missouri-Columbia, College of Engineering

Final Report

Instrumentation to Support the Mission of the National Center for Explosion Resistant Design (NCERD)

by

Sam A. Kiger¹, Ph.D., P.E. and Hani A. Salim², Ph.D.

Proposal No: 39358-EG-RIP
Contract No: DAAD19-99-1-0112

Thanks to a generous grant from the Army Research Lab and the University of Missouri-Columbia, two high-speed digital photography systems, a 10-channel transient signal conditioning/amplifier data acquisition system, shock isolated accelerometers, soil stress gages, air blast gages, and interface stress gages were procured to provide unique capabilities to the University of Missouri (MU) National Center for Explosion Resistant Design (NCERD) in its current and potential research and educational projects and goals.

The NCERD is currently conducting research funded by the Air Force Office of Scientific Research, the Army Corps of Engineers Waterways Experiment Station (WES), and the University of Missouri Research Board. In addition, the center has submitted a proposal to WES for the design and testing of blast retrofit walls for masonry walls and is developing a proposal to be submitted to TSWG for the design, manufacturing, and

¹Dr. Kiger is Chairman and LaPierre Distinguished Professor of Civil and Environmental Engineering, and Director, National Center for Explosion Resistant Design, University of Missouri-Columbia (UMC), Columbia, MO 65211-2200; Phone: (573) 882-3285; Fax: (573) 882-4784; E-mail: kiger@ecn.missouri.edu

² Dr. Salim is a Research Assistant Professor, Civil and Environmental Engineering, UMC, Columbia, MO


testing of a portable light-weight containment vessel for explosives, biological, and/or chemical agents.

Main Instrumentation systems purchased through this grant

Following are the main equipments obtained through the ARL funding. Additional instrumentations, but not listed here, were also purchased that supplement the main items.

1. Ultra high-Speed Digital Photography System


The Imacon 468 Ultra High-Speed Digital Imaging System was purchased through this funding. This camera represents the absolute top end of the spectrum when it comes to high-speed motion analysis. The camera is capable of



recording up to 12 frames at a rate of as fast as 200 million frames per second, with variable inter-frame delays periods. This system will enhance the modeling capabilities of the research efforts at NCERD. Behaviors such as material phase transition, crack propagation, impact and penetration, shock waves through materials, and blast environments will be better understood through the use of such system.

2. Moderate High-Speed Camera


KODAK EKTAPRO HG Imager, Model 2000 was also purchased through this funding. The digital



camera is capable of recording up 2000 frames per second. With a total recording time of 2.73 seconds (5,461 images) this camera allows us to capture the delayed structure response under blast/impact loading. Another valuable aspect of this camera is that it has a continuous loop type of recording setup. Because of this type of recording, images can be captured both in the pre and post trigger stages.

3. Transient Data Acquisition, Conditioner, and Amplifier System

The third main part of the instrumentation purchased through this research was the Pacific Instruments most advanced high-speed data acquisition system available on the market today. This system consists



of 10 independent Model 9355 Transducer Signal Conditioning Amplifiers. This transient data acquisition system is a signal-conditioning amplifier, which uses microprocessors and advanced digital technology to enhance the recording and display of transducer signals. This system also allows for 4096 steps of simulated internal shunt calibration and capabilities for external voltage calibration. Samples rate can be obtained of up to one million samples per second per amplifier. Recording is a continuous loop type recording which allows for pre and post trigger recording capabilities which are independent and therefore different sampling rates can be set for both pre and post trigger positions. The system has internal memory, which allows for storage of data until the system can be returned to a computer command station for debriefing.

4. Various Pressure Gages, Blast Gages, and High-Speed Accelerometers

The transducers purchased are useful for documenting structural loading, structural response, and the high-pressure loading environment during high explosive tests. These include:

- ☐ High Pressure Ruggedized Dynamic Response Pressure Transducers with low impedance high output, and very high natural frequency, for pressure blast applications
- ☐ Miniature Ruggedized IS Pressure Transducers with high natural frequency.
- ☐ Soil Stress Gages for measuring blast induced soil reactions
- ☐ Soil Pressure Cells
- ☐ Structure Dynamics Pressure Transducers with metal diaphragm
- ☐ Piezoresistive Un-Damped Accelerometers

NCERD Research Efforts

The primary objectives of the NCERD are to create new knowledge and to improve our understanding of the explosion environment and blast mitigation technology and to create new and improved structural designs and strategies for protection from explosions. Current research efforts at the center are being directed to the numerical prediction of the damaged zone in a structure under explosion fragments from conventional weapons. Numerical modeling is also being extended for the numerical simulation and modeling to predict the response of the double-wall composite containment vessel under explosion loads.

A brittle damage model for concrete, which can be vectorized for large-scale computer simulation, will be developed in one of the funded projects researchers at the NCERD are currently working on. In this phase of the project, the numerical modeling will be used to predict the evolution of a damaged zone in a bridge section under explosion fragments from conventional weapons. The brittle failure of a bridge section under

explosion fragments involves the initiation and evaluation of localized damage, the transition from continuous to discontinuous failure modes and fragmentation. Future phases of this project will involve the field-testing of the interaction of concrete slabs and explosive fragments.

In another project, the NCERD is proposing to design, build, and demonstrate the performance of a light-weight portable containment vessel for up to 3 lb. of high explosives (HE) and any associated biological or chemical agents. Using innovative computer codes and composite materials, we propose to design, model, build, and test the vessel. Tests will be performed at Fort Leonard Wood, MO, using live explosives. High-speed photography and transient data acquisition systems are very essential instrumentations for the verification of such unique numerical models.

This instrumentation also serves, in general, the objectives and potential research and education goals of the center in evaluating the performance of structures and blast mitigation armors under blast loads and projectile impacts. Specialized pressure transducers and accelerometers are used to characterize the response of structures under blast and ballistic loads.

Following is a brief description of the NCERD and the current funding.

National Center for Explosion Resistant Design

Need: *Combating terrorism and assuring the security of the United States*

Mission:

- Create new knowledge of explosion environment and blast mitigation technology
- Create improved structural designs and strategies for protection from explosion
- Technology transfer

Research Areas

Blast Mitigation and Terrorist Bombing

- Provide technical support for anti- and counter-terrorist programs
- Develop analytical models and simulation tools to predict the blast environment
- Improve structural design for blast resistance and prevention of progressive building collapse

Accidental Explosions and Explosive Safety

- Provide forensic analysis of explosions resulting from accidental explosions; e.g., petrochemical accidents
- Develop more cost-effective designs for explosive storage and munitions facilities

Force Protection and Military Support

- Conduct tests and evaluation of weapon system effectiveness, and hard target defeat
- Develop improved designs and innovative construction materials for fixed construction
- Develop methods to quickly upgrade blast resistance of temporary housing
- Design auxiliary equipment such as shock isolation devices, blast valves, and blast doors
- Develop a computer test bed and virtual reality modeling tools for military applications

Collaborations

- Partnership with U.S. Army Engineer Center and Fort Leonard Wood, MO
- U.S. Army Corps of Engineers, Waterways Experiment Station
- UM-Rolla, Rock Mechanics and Explosives Research Center

NCERD Current Research Activities

NSF Career Grant (\$400k)

- Develop computer test-bed for simulation of blast resistant structures
- Improve education in area of progressive building collapse

DOD/WES (\$240k)

- Develop concrete brittle damage model
- Predict damaged zone in bridge section under fragment loading

MU Research Board (\$36k)

- Model laminated glass under blast loading
- Test blast resistance of glazing
- Develop standards for explosion resistant window film
- Develop simple predictive models

DOD/WES (\$99k)

- Blast retrofit walls
- Analytical and experimental evaluation
- Evaluate various design concepts